Incident Action Plan

Wallow Fire

CA-SHF-001882 P5DYU1



NIGHT SHIFT Sunday, Sept. 2/Monday, Sept. 3, 2007 1800-0600

	· • · · · · · · · · · · · · · · · · · ·		T					
	1. Incident Name		2. Date	3. Time				
INCIDENT OBJECTIVES	WALLOW		SEPTEMBER 2, 2007	1200				
	<u> </u>							
4. Operational Period • SEPTEMBER 2-3, 2007 1800-0600								
• SEFTEMBER 2-3, 2007 1000-0000								
5. General Control Objectives for the Incident (include a	 alternatives)							
MANAGEMENT OBJECTIVES								
 The primary objective is to prov 	ide for firefighter (and public safety th	roughout all incident op	erations.				
 Without compromising safety, r Trinity River, and Late Succession 			te property, riparian are	eas, South Fork				
 Adhere to the 2:1 work rest cyc 	le.							
 Address suppression cost acco values at risk. 	untability by keep	oing fire expenditure	es commensurate with p	public and private				
 Maintain clear and prompt info 	rmation exchange	e with Forest, local o	communities and coope	erators.				
 Provide Initial Attack support when requested by Shasta-Trinity National Forests. 								
Continue with Demobilization Plan implementation and consult with the local unit when developing the Incident Fire Suppression Rehabilitation Plan Incident Fire Suppression Rehabilitation Re								
Incident Fire Suppression Rehabilitation Plan.								
OPERATIONAL OBJECTIVES								
Keep fire within current containment lines.								
• Reep me willin conem comuni	mem mes.							
6. Weather Forecast for Period								
See Spot Weather Forecast								
·								
7. General Safety Message								
Stay alert to changing weather conditions and its potential to affect fire behavior. Drink plenty of fluids and use extra caution while traversing steep slopes. Some access roads are dusty and can be very hazardous. Watch out for oncoming traffic and livestock. Always maintain a safe driving speed. Review Yellow Jacket Safety Briefing attached to IAP.								
8.	Attachments (mar	k if attached)						
○ Organization List - ICS 203	⊠ Medico	al Plan - ICS 206						
	Incider	nt Map	Safety Message Safe	e				
oxtimes Communications Plan - ICS 205	☐ Traffic F	Plan	LCES Workshee	et				
9. Prepared by (Planning Section Chief)	0	10. Approved by (Incid						
Take, fan	\mathcal{L}	William	Kaugs					
			. 0					



ORGANIZ	ATION ASSIGI	NMENT LIST	9.	Operation:	s Section		
1. Incident Name	-		Day Ops Chief		Raymer		
Wallow Fire			Night Ops Chief	Mike	Beckett		
2. Date		3. Time	Planning Ops	Frank	Davis (T)		
09/02/07		1000	a. Branchil Division/Groups				
4. Operational Period			Division/Group A. G. O. Z				
	nt Shift 1800-060		Division/Group A, G, O, Z		Mike Sandoval		
Position	<u></u>	Name	Division/Group				
5. Incident (Commander ar	nd Staff	Division/Group				
Incident Commander	Bill Kaage		Division/Group				
Deputy	Joe Molhoek	/Tim Fike (T)		-			
Safety Officer	Terry O'Conn	ell, Aaron Lowe(T)	Division/Group	receive a second	Accesses 5		
Information Officer	Cathleen Tho		b. Branch II-D	IVISION/Gre	OU OS		
THOMAINI OMEE	Jennifer Chap	oman(T)	Branch Director				
Liaison Officer			Deputy		-		
6. Agency R	Representative		Division/Group				
Agency	Name		Division/Group	- 			
CALFIRE Agency Rep	Kelly Dreesmo	ann .	Division/Group				
Line Officer Rep	Donna Harm	on					
Resource Advisor	Mark Arnold,	Mark Goldsmith	Division/Group 6. Branch III-I	 Division / Cir	Auros .		
Trinity County OES Coord.	Richard Smith	1	Branch Director	NAISION IZ	ပုစ္ခုစ		
IARR	Danny Gome	PZ	Deputy	<u> </u>			
7.	Planning Sec	ition	Division/Group				
Chief	Pat Farrell		Division/Group				
Deputy		-	Division/Group				
Resources Unit	Dean Lutz, Bo	arb Frazier(T)	d. Air Operation Air Operations Branch Directo		er Bunt		
Situation Unit	<u> </u>	cci, John Staveley(T)	Air Attack Supervisor	- Walle	51 DOTTI		
Documentation Unit	Gail Tozier	201, 301111010110101111		Di isa	Gorden		
	Dean Lutz		Air Support Group Supervisor	Finance S			
Demobilization Unit			Chief		Lopez		
Fire Behavior Analyst	Gene Rogers)	Deputy		2002		
Incident Meteorologist			Time Unit	Penn	ny Portlock		
Human Resources					ita Cortez		
Training Specialist	Brad Smith		Equipment Time Unit Compensation/Claims Unit	Joan	illa Correz		
GISS	David Hays,			D: -1	Andorson		
	David Benite	The state of the s	Cost Unit	Kicn	Andersen		
8.	Logistics Se	E 07904 7 11903-	Prepared by (Resource Unit L	eader)			
Chief	Jack Costello)	_				
Deputy	Jack Knight		1 2 62-				
Supply Unit	Tracey Valer	ntine(T)	Bant Front				
Facilities Unit	Hank Henne	ssy, Kevin Browning(T)					
Ground Support Unit	Mike Hecker	ndorn, Greg Connick(T)					
Communications Unit	Don Stoner						
Medical Unit	Karen Brose						
Security Unit							
,	Dawn Peder						



Spot Forecast for Wallow Fire

National Weather Service Eureka 1035 AM PDT Sun Sep 2 2007

IF CONDITIONS BECOME UNREPRESENTATIVE, CONTACT THE NATIONAL WEATHER SERVICE. SPOT FORECAST FOR WALLOW...USFS NATIONAL WEATHER SERVICE EUREKA CA 1035 AM PDT SUN SEP 2 2007

FORECAST IS BASED ON REQUEST TIME OF 0958 PDT ON SEPTEMBER 02. IF CONDITIONS BECOME UNREPRESENTATIVE...CONTACT THE NATIONAL WEATHER SERVICE IN EUREKA AT (707) 443-6484.

.DISCUSSION...

AN UPPER LEVEL TROUGH WILL MOVE THROUGH THE REGION MONDAY AND TUESDAY BRINGING SLIGHTLY COOLER TEMPS ON MONDAY ALONG WITH IMPROVED NIGHTIME RELATIVE HUMIDITY RECOVERIES ON MONDAY NIGHT. HIGH PRESSURE WILL THEN BUILD INLAND ACROSS OREGON TUESDAY NIGHT AND WEDNESDAY...AS LOW PRESSURE DEEPENS ALONG THE CALIFORNIA COAST. A WARMING TREND WILL THUS BE ACCOMPANIED BY PERSISTENT STRONG NORTHEASTERLY WINDS OVER THE RIDGES OF NORTHWEST CALIFORNIA WEDNESDAY THROUGH FRIDAY.

.TONIGHT...

SKY/WEATHER.....MOSTLY CLEAR.

MIN TEMPERATURE....AROUND 57.
MAX HUMIDITY.....49 PERCENT.

EYE LEVEL WINDS.....NORTHWEST WINDS 5 TO 7 MPH IN THE EVENING BECOMING VARIABLE 1 TO 3 MPH.

SURROUNDING RIDGE...NORTHWEST WINDS 5 TO 7 MPH IN THE EVENING BECOMING VARIABLE 5 MPH.

.LABOR DAY...

SKY/WEATHER....SUNNY.

MAX TEMPERATURE....AROUND 87.

MIN HUMIDITY......17 PERCENT.

EYE LEVEL WINDS.....VARIABLE WINDS 1 TO 3 MPH BECOMING WEST 6 TO 8 MPH IN THE AFTERNOON.

SURROUNDING RIDGE...VARIABLE WINDS 3 TO 5 MPH BECOMING WEST 7 TO 9 MPH IN THE AFTERNOON WITH GUSTS TO 12 MPH.

FIRE BEHAVIOR FORECAST NO. 7

See attached Spot Weather Forecast from Eureka Fire Weather Office

FIRE BEHAVIOR

GENERAL:

Fire behavior will be limited to smoldering and creeping. Poor to fair humidity recovery is expected this evening. The fire will remain active throughout the night where fuels allow spread. All dead fuel size classes will burn and consume.

SPECIFIC:

Fire spread is possible if any spot across the perimeter line occurs. Winds will tend to push down and across the 2N07 Road in Div O until after dark. Winds will then become light.

AIR OPERATIONS:

Good visibility and flight conditions until dark.

SAFETY:

Many snags are in the fire area. Watch for embers, falling limbs and chunks. The fire has weakened snags and live trees, so beware of falling trees. Areas of white ash should not be walked across as they may obscure roots and stump holes.

DI	IVISION A	SSIGN	NMENT LIST		1. Branch			2. Division/Group A, G, O, Z			
2									<i>9,</i> O	, <u>L</u>	
3. Incident Name		LOW I	FIRE		4. Operation	al Period	NIGHT O	PERATIONS			
	***************************************				Date:	09/02-03/20	007 Tir	me: 1800-0600			
5.				Ор	erations Pe	rsonnel					
Operations Chief		Mike	Beckett		Division/Gro	Division/Group Supervisor Mike Sandoval					
Branch Director					Air Attack Su	pervisor					
6.				Res	ources Assi	gned this Pe	riod				
Strike Team/Task Fo Designo		rce	Leader	Last Shift	Number Persons	Trans. Needed	Drop Off PT.,	/Time	Pick Up	PT./Time	
ENG3 CA-SHF	11		Bob Toney	9/11	4	N	DP7/19	00	TBD b	y DIVS	
ENG3 AZ-TNF 3	38 (E-74)		Nathaniel Nozie	9/14	6	N	DP7/19	00	TBD b	y DIVS	
		- I									
7. Control Operation	ons										
·	the fire.										
 Respor 	nd to rollo	uts, s	lopovers or any ne	w spo	ts.						
8. Special Instruction	ons										
9.				Diol	lon/Croup	Communica	ation Summo	NP /			
7. Function	Freque	ncv	System		annel	Function	Frequency	 		Channel	
Tononon	Rx 162.9		9,5.0			Territoria	*		-		
Command	Tx 171.7		KING		8	and the desired in the second					
	Rx 166.	7250					Rx 165.600	00			
Tactical Div/Group	Tx 166.7		KING			dr to Ground	Tx 165.600			13	
Prepared by (Reso	urce Unit Lec	ader)	Approvedov	lanning	Section Chief		Date		Time		
Bank	my		1 de	\mathscr{K}	· - fun		9/0	2/2007		0900	

ICS 204 NFES 1328 **6**

PREPARED DATE/TIME:9/01/2007 2100

SUNSET: 19:36

SUNRISE: 06:32

START TIME: 0800 END TIME: 2000

2. OPERATIONAL PERIOD DATE: 09/02/07

1. INCIDENT NAME: WALLOW

PREPARED BY: Walter
AIR OPERATIONS SUMMARY

Bunt AOBD NorCal II

3. REMARKS					4. MEDEVAC A/C:	5. TFR:	
 All aviation resources have been reassigned to the Chipmunk fire and are located at Weaverville Airport. Frequencies associated with aviation operations will remain in effect until incident transition. TFR has been removed. Hayfork helibase has been demobilized. 	have been reassigned with aviation operations v n demobilized.	to the Chipmunk firr vill remain in effect unt	e and are locate il incident transiti	ed at on.	See Medical Plan		NO TFR OVER FIRE!!!
6. PERSONNEL	Phone	7. FREQUENCIES	АМ	M	8. FIXED-WING	Rohnerville, Redding	
AOBD: Walter Bunt	(530)598-0594	AIR/AIR	122.225	166.2375	Airtankers	Order By Air Attack Th	Order By Air Attack Through Redding ECC
ASGS: Russ Gorden	(707)367-4611	AIR/AIR ROTOR	122.425				1
Weaverville Helibase	(530)604-8643	AIR/GROUND:		165.600	Leadplanes	Order By Air Attack TI	Order By Air Attack Through Redding ECC
Redding Dispatch	(530)226-2400	COMMAND DDT.	TX: 171.7875 RX: 162.9625	.7875 2.9625			
Rohnerville AB	(707)725-4572	COMMISSION IN 1.	Narrow Band No Tone	Band one	ATGS Aircraft	Order by AOBD through Redding ECC	gh Redding ECC
Redding Air Attack Base	(530)226-2795	DECK		163.100			
ICP Fax	(530)628-5737	TOLC FREQ:	122.800 (Unicom)	(m)	Other		

9. HELICOPTERS

10. TASK/MISSION/ASSIGNMENT

If aviation resources are required, Division Supervisors need to be ordered through Air Operations. Provide the following information: Location

Ground contact Number and type of aircraft needed

AFTER ORDER IS PLACED EXPECT A 30 MINUTE RESPONSE TIME.



Wallow Saftey Message

September 2-3, 2007 Night Shift 1800-0600

Hazard trees have become an issue on the Wallow Fire. Assess hazard tree threat while patrolling the fire.

Stay engaged - you have an assignment to do.

REMAIN FOCUSED

- Be especially alert around hazard trees and snags at all times.
- Keep up your situational awareness
- Establish and maintain communication with equipment operators and supervisors



Nor Cal Team II Safety Officers -Terry O'Connell, Aaron Lowe (T)


INCIDENT RISK ANALYSIS Wallow Night Shift (ICS 215A)

DIV	HAZARDOUS ACTIONS / CONDITIONS	MITIGATIONS / WARNINGS / F	REMEDIES
ALL	DRIVING HAZARDS	 DO NOT CUT THE CORNERS while driving on th Drive defensively! Expect the unexpected around Drive with headlights on; use chock blocks, keep to before backing; use backers whenever available. Keep speeds to 25 mph through Hayfork. Maintain Situational Awareness. 	every curve.
ALL	FATIGUE	 Be alert for signs of fatigue and take breaks as ne effects. Maintain 2:1 work/rest ratio. Monitor inco fatigue. 	ming resources for level of
ALL	COMPLACENCY	 Ensure proper PPE are being utilized during all op Situational Awareness must be maintained for the period and incident. Make sure all personnel receive thorough briefing 	duration of the operational s at every shift.
ALL	FIRE BEHAVIOR	 Monitor current weather conditions and forecasts. passage of thunder cells through or close to fire a Maintain adequate escape routes and safety zone are compromised or changed. Set trigger points of Adhere to 10 Std Orders, mitigate 18 situations. 	Be observant for formation and trea and alert all personnel. es. Advise all personnel if these when appropriate. Maintain Situational Awareness.
ALL	SNAGS/HAZARD TREES	Identify and mitigate hazards prior to beginning w surroundings.	ork. Pay attention to your
IINCIDENT I	NAME: Wallow	DATE PREPARED: September 2, 2007	OPERATIONAL PERIOD 09/2-3/2007
ICS 215a		TIME PREPARED 1000 hrs	Prepared by, T OConnell, A Lowe (T)



VELLOW JACKET SAFETY BRIEFING

A recent incident on the Shasta-Trinity NF and reports of Yellow Jacket abundance at this time of year, and perhaps especially this year warrant some information on the subject of safety related to Bee and Yellow Jackets and their stings. Dealing with attacks and stings of Yellow Jackets or bees may be similar, but the "Yellow Jacket wasp" or "meat bee" stings may be more numerous.



Yellow Jackets are considered beneficial around home gardens and commercially grown fruits and vegetables at certain times of the year because they feed abundantly on insect pests such as caterpillars and harmful flies. Unfortunately, in late summer and early fall when their populations peak, the Yellow Jacket's normal insect diet disappears and their feeding habits become a problem to man. At this time of year, the Yellow Jacket has an appetite for much the same food and drink as those consumed by man. Also, Yellow Jacket stings can result in a life-threatening situation, especially if the person is allergic to Yellow Jacket venom.

Nests are normally located in a soil cavity such as an abandoned mouse nest or hollow tree. Other possible nests sites are in buildings, including attics, porches, eaves or sheds. Disturbing ground nests or trees can cause swarming Yellow Jackets to attack.

Fire Management Notes--

When attacked by honey bees or Yellow Jacket wasps -

- 1. If at all possible, run away from the nest as quickly as you can
- 2. If running away is impossible due to injury, fire conditions, or topography, then deploy a fire shelter to drastically reduce the number of stings. Get your head and neck under the shelter as quickly as possible, and try to lie flat, covering the rest of your body if possible.
- 3. Flatten down the edges of the shelter along the ground to prevent additional insects from entering.
- 4. If stung by honey bees, remove stings by rubbing your hands over exposed skin. Remove stings in clothing by rubbing or pulling on the cloth.
- 5. Use gloved hands to crush any insects inside the shelter.
- 6. After the bees or Yellow Jackets settle down (which will take several minutes to an hour, depending on the degree of their agitation), move away from the nest, using the shelter as protection from any remaining defenders.

As always, knowledge of how to respond correctly in an emergency is the best insurance of survival. In most circumstances, timely escape is best; but when escape is impossible, the fire shelter can provide significant protection from stings. The fire shelter now has a new, potentially life-saving application.

YELLOW JACKET SAFETY BRIEFING

Allergic reactions to Yellow Jacket or bees stings may cause shock and life threatening conditions. Those with known allergies should carry sting treatment kits. Co-workers of multiple sting victims should watch the co-worker and be prepared for emergency medical responses and evacuation.

General guidelines are to leave the area, and covering the face with both hands to protect the sensitive body areas.

Safety Measures

Precautions should be taken when working or playing in areas that are likely to be inhabited by Yellow Jackets. Logging equipment operators often disturb nests in the forest that can make their work very dangerous. A veil, hat and pressurized container of wasp or hornet spray are highly recommended during summer and fall.

If a colony is disturbed, a person should slowly walk away with both hands covering the face to protect the more sensitive body areas. It is best to walk toward dense vegetation or enter a vehicle or building to avoid the stinging insects. Swift movements will only attract more yellow jackets. Persons highly sensitive to yellow jacket venom should always carry a sting treatment kit during outdoor activities.

A Yellow Jacket does not leave a stinger in its victim, so there for it can sting multiple times. To reduce swelling following a stinging incident, a person may use several sting remedies. A convenient material to lace on the sting site is moistened table salt. Mound the dry salt on the sting entry point and moisten with a few drops of water. Leave the salt on the site for several minutes. This procedure must be applied within three to four minutes following the stinging incident to be effective.

Yellow Jackets and other stinging insects often get inside moving vehicles, which may result in a very dangerous situation. The driver should carefully stop the vehicle on the side of the road and all passengers should exit on the front passenger's side of the vehicle to avoid traffic. The driver should open all windows and leave the passenger doors open to allow the insects to exit the vehicle. Flying insects normally go immediately to the windows when inside a moving vehicle in an attempt to escape and are rarely in a defensive posture inside a moving vehicle unless provoked by an occupant. Persons should refrain from swatting the insect inside the vehicle.

Michael Cobbold Safety Officer Shasta-Trinity and Mendocino National Forests

MEDICAL PLAN Wallow Fire 5. INCIDENT MEDICAL MEDICAL AID STATIONS					2. DATE PREPARED 99/02-03/07 1100 4. OPERATIONAL PERIOD 09/02-03/07 1800-0600 Night CAL AID STATIONS						.KIOD
NATIONAL AID (ATIONO		<u>5. II</u>	NCIDENT MEDIC	AL AID S					PARAM	MEDICS
MEDICAL AID S	ATIONS					LOCATIO	ON			YES	NO
Wallow Base Camp			Hay	fork Fairgrounds						Х	
				6. TRANSPO A .AIR AMBULAN							
NAI	F			A .AII AIII AIII	ADDRI			PHON		PARAM	MEDICS
PHI Air Medical				2775 Flinks D.						YES	NO
				3775 Flight, Red				530-225-		X	
Reach				1100 Butte Stree		g CA		800-338-	4045	X	
NA!				D. AIVIDUL	ANCES	LOCAT	TION			PARAM	MEDICS
	E			-		LOCA	HUN			YES	NO
Arcata Ambulance				Hayfork Fairgro						Х	
	1			7. HOSP		LTIME		HEI	IPAD	BURN	CENTER
NAME		ADI	DRES	S 	AIR	GRND	PHONE	Y	N	Y	N
Trinity Hospital	60 E	Easter Avenue,	Wea	averville CA	15min	60min	530-623-554 ext 3240	1 x			x
Mercy Medical Center	217	5 Rosaline Ave	nue,	Redding CA	25min	120min	530-225-720	1 X			×
Shasta Regional	110	0 Butte Street,	Redd	ling CA	25min	120min	800-338-404	5 X			х
UC Davis Burn Center	231	5 Stockton, Sa	crame	ento CA	60min		916-734-5669	9 X		x	
8. MEDICAL EMERGE						CEDURES	S				
LINE EMERGENCY: Crew Supervisor is to contal location. DIVS will run medical emerate Clear Command Ch 1. DIVS will contact 1. Wallow 2. Wallow Community 1. Base 2. Safety 3. Night of the Communications of Communications 1. Medical Staff will respond on 1. Medical 2. Safety/13. Operations 1. Op	Communications was amp Med Coperations	on Command Emergency T nications vill contact: dical Unit	Charraffic	nnel	AGE_SEX: M. NATUR + LOC LOCATI SPECIA TRANSI RONDE	T UNIT ID IT WITH P ALE E OF INJU Y / N Lev ION OF P/ IL RESCU PORTATIO ZVOUS OF PICKU	URY REPORTING PATIENT: YES FEMALE JRY vel of Conscious ATIENT IE/EXTRICATION ON REQUESTED IP LC	#Pts sness A 8 N NEEDS_ D BY: AIR_	. O X GR	 D	1
10.885	۸۵۲۵ ۲۰	/ (MEDIOAL !!	NIIT 1	EADED)	Т	10 DE ///	EMED BY (CAT	TV OFFIC	YED)		
ICS 206 8-78	ose MED	Y (MEDICAL U DL	INII L	LADER)			EWED BY (SAFE		JEK)		

G / O / Z G / O / Z G / O / Z EASE EASE FRICT NET REPEATER REPEATER C GROUND O GROUND Y USE ONLY Y USE ONLY			1 Incide	ant Name			2 Date/ Time Prepared	3. Operational Period Date/Time
MALLOW FIRE		NV Id SNOITVOINI MINOS OIG VO	i. Incid				c. Date) Internation	
Tricker Frequency Tone Mode Assignment Assignment Assignment Tricker 166,7250 N		KADIO COMMONICA ILONS PLAN	WALL	OW FIRE			09/02/07 1100	09/02-03/07 1800-0600
Title Frequency Tone Mode Assignment			- 				Line and an Experient Carlo and associated	
RX. 166 7250 N DIV-A / G / O / Z TX. 166 7250 N DIV-A / G / O / Z TX. 166 7750 N RELEASE TX. 168 2500 N RELEASE TX. 168 2500 N RELEASE TX. 173.9875 N RELEASE RX. 173.9875 N SECURITY TX. 170.4875 Y N SECURITY RX. 162.9626 N N SHASTRICT NET RX. 164.8250 Y N SHASTRATRINITY I/A RX. 164.8250 Y N SHASTA-TRINITY I/A RX. 168.2000 N I/A RX. 168.2000 N I/A RX. 168.2000 N I/A RX. 168.6250 I/O N RX. 168.6250 I/O N RX. 168.6250 I/O N RX. 168.6250 I/O	Channel	Function		Ĭ	Tone	Mode	Assignment	Remarks
TX: 166,7250			-	166.7250		2	DIV.4 / G / O / 7	
TX: 166.7750	_	IAC 1	χĽ	166.7250		2	1000	
TX: 166.7750 N RELEASE TX: 168.2500 N RELEASE TX: 168.2500 N RELEASE TX: 173.3875 N RELEASE TX: 173.3875 N SECURITY RX: 170.4875 Y N SEMU DISTRICT NET TX: 170.4875 Y N SEMU DISTRICT NET RX: 164.1250 N ALT CMD NET RX: 164.1250 Y N SHASTA-TRINITY I/A RX: 168.2000 Y N SHASTA-TRINITY I/A RX: 168.2000 N I/A RX: 168.2000 N I/A RX: 165.6000 N I/A RX: 168.6250 N EMERGENCY USE ONLY RX: 168.6250 110.9 N EMERGENCY USE ONLY RX: 168.6250 110.9 N EMERGENCY USE ONLY RX: 168.6250 110.9 N </th <th>,</th> <td>C</td> <td>EX:</td> <td>166.7750</td> <td></td> <td>Z</td> <td></td> <td></td>	,	C	EX:	166.7750		Z		
TX: 168.2500 N RELEASE TX: 168.2500 N RELEASE TX: 173.9875 N SECURITY TX: 170.4875 Y N SECURITY TX: 170.4875 Y N SECURITY TX: 170.4875 N SECURITY TX: 170.4875 N SEMU DISTRICT NET TX: 170.4875 N SHASTA-TRINITY I/A TX: 164.250 Y N I/A AIR TO GROUND TX: 168.2000 N I/A AIR TO GROUND TX: 168.6200 I10.9 N SMASTA-TRINITY I/A TX: 168.6250 I10.9 N SMASTA-TRINITY I/A TX: I10.86250 I10	7	IACZ	ĭ	166.7750		2		
TX	m	TAC 3	Ξï	168.2500		z		
P.K. P.K. N	,		×	168.2500				
TX:	4	CH 4	ž ř			z	RELEASE	
TX: 173.9875 N SECURITY			× ×			:	L (
RX: 173.9875 N SECURITY TX: 173.9875 N SFMU DISTRICT NET TX: 170.4875 Y N SFMU DISTRICT NET TX: 170.4875 Y N SFMU DISTRICT NET TX: 161.2625 Y N SHASTA-TRINITY I/A TX: 164.250 Y N SHASTA-TRINITY I/A TX: 168.2000 N I/A AIR TO GROUND TX: 168.2000 N I/A AIR TO GROUND TX: 168.6250 110.9 N EMERGENCY USE ONLY TX: 168.6250 110.9 N EMERGENCY USE ONLY	ĸ	CH 5	×			Z	KELEASE	
TX: 173.9875 TX: 170.4875 TX: 170.4875 TX: 170.4875 TX: 170.4875 TX: 170.2825 TX: 164.1250 TX: 164.1250 TX: 164.1250 TX: 164.1250 TX: 168.2000 TX: 168.2500 TX: 168.6250 TX:	4	9 U V	ž	173.9875		Z	SECURITY	
RX: 170.4875 N SFMU DISTRICT NET TX: 170.4875 Y N CMD REPEATER TX: 162.9625 N ALT CMD NET TX: 164.1250 Y N ALT CMD NET TX: 164.8250 Y N ALT CMD NET TX: 169.1000 Y N I/A RX: 168.2000 N I/A RX: 170.0000 N I/A AIR TO GROUND TX: 168.6250 N WALLOWAIR TO GROUND TX: 168.6250 N MALCOWAIR TO GROUND RX: 165.6000 N EMERGENCY USE ONLY RX: 165.6000 N EMERGENCY USE ONLY RX: 168.6250 I I RX: 168.6250 <th>ø</th> <td>IAC 0</td> <td>ΞX</td> <td>173.9875</td> <td></td> <td>:</td> <td></td> <td></td>	ø	IAC 0	ΞX	173.9875		:		
TX: 170.4875 Y T RX: 162.9625 N CMD REPEATER TX: 164.1250 Y N ALT CMD NET RX: 171.5750 Y N ALT CMD NET RX: 171.5750 Y N SHASTA-TRINITY I/A RX: 168.2000 Y N I/A RX: 170.0000 N I/A I/A RX: 165.6000 N WALLOW AIR TO GROUND RX: 168.6250 N WALLOW AIR TO GROUND RX: 165.6000 N I/A AIR TO GROUND RX: 165.6000 N WALLOW AIR TO GROUND RX: 165.6000 N EMERGENCY USE ONLY RX: 168.6250 I/O N EMERGENCY USE ONLY RX: 168.6250 I/O N EMERGENCY USE ONLY RX: 168.6250 N EMERGENCY USE ONLY		Halva and an analysis of the second analysis of the second analysis of the second and an analysi	XX.	170.4875		z	SEMU DISTRICT NET	
RX: 162.9625 N CMD REPEATER TX: 171.7875 N ALT CMD NET TX: 164.8250 Y N ALT CMD NET TX: 169.1000 Y N SHASTA-TRINITY I/A TX: 168.2000 N I/A RX: 170.0000 N I/A RX: 170.0000 N I/A AIR TO GROUND TX: 165.6000 N WALLOW AIR TO GROUND TX: 166.250 110.9 N EMERGENCY USE ONLY RX: 165.6000 N EMERGENCY USE ONLY RX: 165.6000 N EMERGENCY USE ONLY RX: 168.6250 110.9 N EMERGENCY USE ONLY RX: 168.6250 110.9 N EMERGENCY USE ONLY	,	STIND INE I	Ÿ	170.4875	>	:		
TX: 171.7875 N ALT CMD NET TX: 164.1250 Y N ALT CMD NET TX: 174.8250 Y N SHASTA-TRINITY I/A TX: 168.2000 Y N I/A RX: 170.0000 N I/A AIR TO GROUND TX: 170.0000 N I/A AIR TO GROUND TX: 165.6000 N WALLOW AIR TO GROUND TX: 168.6250 110.9 N EMERGENCY USE ONLY RX: 165.6000 N EMERGENCY USE ONLY RX: 165.6000 N EMERGENCY USE ONLY RX: 168.6250 110.9 N EMERGENCY USE ONLY RX: 168.6250 110.9 N EMERGENCY USE ONLY	æ	CMD RPT	ž	162.9625		z	CMD REPEATER	
RX: 164.1250 Υ N ALT CMD NET TX: 164.8250 Υ N SHASTA-TRINITY I/A TX: 169.1000 Υ N I/A RX: 168.2000 N I/A RX: 170.0000 N I/A AIR TO GROUND RX: 165.6000 N WALLOW AIR TO GROUND TX: 165.6000 N EMERGENCY USE ONLY RX: 165.6000 N EMERGENCY USE ONLY RX: 168.6250 110.9 N EMERGENCY USE ONLY TX: 168.6250 110.9 N EMERGENCY USE ONLY)		:: Ľ	171.7875				
TX: 164.8250 Y N SHASTA-TRINITY I/A TX: 169.1000 Y N I/A RX: 168.2000 N I/A RX: 170.0000 N I/A AIR TO GROUND RX: 170.0000 N WALLOW AIR TO GROUND RX: 165.6000 N EMERGENCY USE ONLY RX: 168.6250 110.9 N EMERGENCY USE ONLY RX: 165.6000 N EMERGENCY USE ONLY RX: 168.6250 110.9 N EMERGENCY USE ONLY RX: 168.6250 110.9 N EMERGENCY USE ONLY	c	SEB/40E NET	.:.	164.1250		z	ALT CMD NET	TONE 4
RX: 171.5750 N SHASTA-TRINITY I/A TX: 169.1000 Y I/A RX: 168.2000 N I/A RX: 170.0000 N I/A AIR TO GROUND TX: 170.0000 N WALLOW AIR TO GROUND TX: 165.6000 N EMERGENCY USE ONLY TX: 168.6250 110.9 N EMERGENCY USE ONLY TX: 168.6250 110.9 N EMERGENCY USE ONLY TX: 168.6250 110.9 N EMERGENCY USE ONLY	ກ	SERVICE INE	TX:	164.8250	>	:		
TX: 169.1000 Y I/A TX: 168.2000 N I/A TX: 170.0000 N I/A AIR TO GROUND TX: 170.0000 N WALLOW AIR TO GROUND TX: 165.6000 N EMERGENCY USE ONLY TX: 168.6250 110.9 N EMERGENCY USE ONLY TX: 168.6250 110.9 N EMERGENCY USE ONLY TX: 168.6250 110.9 N EMERGENCY USE ONLY	4		EX:	171.5750		Z	SHASTA-TRINITY I/A	TONES 4.8.11
RX: 168.2000 N RX: 170.0000 N TX: 170.0000 N RX: 165.6000 N RX: 168.6250 110.9 TX: 165.6000 N RX: 165.6000 N RX: 165.6000 N RX: 165.6000 N TX: 168.6250 110.9 TX: 168.6250 110.9 TX: 168.6250 N	2	UN - CIVID	Ξ	169.1000	>	2		
TX: 168.2000 N RX: 170.0000 N TX: 170.0000 N RX: 165.6000 N RX: 168.6250 110.9 N RX: 165.6000 N RX: 165.6000 N RX: 165.6000 N TX: 168.6250 110.9 TX: 168.6250 110.9	1	TOWNED	RX:	168.2000		Z	Ψ/Ι	
RX: 170.0000 N TX: 170.0000 N RX: 165.6000 N TX: 168.6250 110.9 TX: 165.6000 N RX: 165.6000 N RX: 165.6000 N TX: 165.6000 N TX: 168.6250 110.9 TX: 168.6250 110.9	=	CREWINE	ΤX	168.2000		2		
TX: 170.0000 N RX: 165.6000 N TX: 165.6000 N RX: 168.6250 110.9 N RX: 165.6000 N RX: 165.6000 N TX: 168.6250 110.9 N TX: 168.6250 110.9 N	5	0,4	χ ::	170.0000		Z	I/A AIR TO GROUND	
RX: 165.6000 N TX: 165.6000 N RX: 168.6250 110.9 N RX: 165.6000 N TX: 165.6000 N RX: 165.6000 N TX: 168.6250 110.9 TX: 168.6250 N	7	5 4 4	Ξ	170.0000		2		
TX: 165.6000 N RX: 168.6250 N TX: 168.6250 110.9 N RX: 165.6000 N RX: 168.6250 N TX: 168.6250 110.9 N	5.	Ç	RX:	165.6000		Z	WALLOW AIR TO GROUND	
RX: 168.6250 N TX: 168.6250 110.9 N RX: 165.6000 RX: 168.6250 N TX: 168.6250 110.9 N	<u>2</u>	2	ΞX	165.6000				
TX: 168.6250 110.9 N RX: 165.6000 TX: 168.6250 110.9 N TX: 168.6250 110.9	;		XX ::	168.6250		Z	EMERGENICY LISE ONLY	
RX: 165.6000 TX: 165.6000 RX: 168.6250 TX: 168.6250	4	AIR GUARD	×	168.6250	110.9	2	LINEINGENCI COL CITE	
TX: 165.6000 RX: 168.6250 TX: 168.6250 110.9 N	,		ž	165.6000				
RX: 168.6250 N	<u>.</u>		×	165.6000				
17. 100.0230	16		ž	168.6250	1100	Z	EMERGENCY USE ONLY	
			×	100.020	0.0			

Finance Information

Guaranteed Hours on an incident – Every day is considered a workday during an incident until the incident is over or the individual is officially released from the incident. All individuals are ensured pay for base hours of work, travel or ordered standby at the appropriate rate of pay for each workday. Exception: When personnel are required to take a mandatory day off which falls on their normal day off, there will be no pay compensation.

Individuals under a compressed 9 or 10 hour work schedule are ensured of at least those 9 or 10 hours per day on days corresponding to their weekly tour of duty. On days that normally would be off time at the home unit, individuals are ensured only 8 hours.

Compensable meal breaks – Personnel on the fireline may be compensated for their meal period if <u>all</u> the following conditions are met:

- 1. The fire is not controlled, and
- 2. The operations section makes a decision that it is critical to the effort of controlling the fire that personnel remain at their post of duty and continue to work as they eat, <u>and</u>
- The compensable meal break is approved by the supervisor at the next level of the crew boss and it is documented on the Crew Time Report.

Incident Driving Regulations -

- 1. No driver will drive more than 10 hours (behind the wheel) within any duty.
- 2. Multiple drivers in a single vehicle may drive up to the duty day limitation provided no driver exceeds the individual driving (behind the wheel) time limitation of 10 hours.
- 3. A driver shall drive only if they have had at least 8 consecutive hours off duty before beginning a shift.

Exception: Exception to the minimum off duty hour requirement is allowed when essential to:

- accomplish immediate and critical suppression objectives, or
- b) address immediate and critical firefighter or public safety issues
- 4. As stated in the current agency work/rest policy documentation of mitigation measures used to reduce fatigue is required for drivers who exceed 16 hour workshifts. This is required regardless of whether the driver was still compliant with the 10 hour individual (behind the wheel) driving time limitation.

Shift Length – Shift length including travel to and from the line should not be over 16 paid hours. Any shifts in excess of 16 paid hours need an explanation in the remarks section of the CTR, as well as needing IC approval before time can be accepted and posted.

CTR Approval – CTRs must be signed by your next higher supervisor. If the Crew Foreman or Superintendent is also the Crew Boss, then the Division Supervisor must sign. Crew Foreman or Superintendent signatures on CTRs for their own crew will not be accepted except for travel to and from an incident.

Please turn in CTRs and shift tickets at the end of each operational period.

Work/Rest Guidelines – Plan for and ensure that all personnel are provided a minimum 2:1 work rest ratio (for every 2 hours of work or travel, provide 1 hour of sleep and/or rest). Work shifts that exceed 16 hours and/or consecutive days that do not meet the 2:1 work/rest ratio should be the exception, and no workshift should exceed 24 hours. However, in situations where this does occur (for example, initial attack), incident personnel will resume 2:1 work/rest ratio as quickly as possible.

On incidents during assigned operational periods, work shift time includes travel to and from the worksite, compensable and non-compensable meal breaks, debriefing and equipment refurbishment following the shift in preparation for the next operational period. Work shift length maximums are just that and should be reduced as necessary to counter the effects of acute or cumulative fatigue.

Start times – In general, shifts start no earlier than ½ hour before briefing time for federal or AD crew bosses, captains, etc, as well as for overhead single resource line positions, shift time also starts at briefing time for federal or AD crews. Contract crews are paid according to contract specifications. Any variance to this policy needs to be explained in detail in the remarks section.

	1. INCID	ENT NAME			2. DATE	3. TIME
UNIT/ACTIVITY LOG ICS 214 5-94					PREPARED	PREPARED
4. ORGANIZATION POSITION		5. LEADER NAME		6. OPER	ATIONAL PERIO	Ď
7.		PERSONNEL ROS	STER ASSIGNED			
NAME		ICS PC	OSITION		HOME BAS	Ε
				1		

		A C T N (1 T) / 1 C C (C C N)	INUE ON BEVEROE			
8.		ACTIVITY LOG (CONT				
TIME			MAJOR EVENTS			
						-
					· · · · · · · · · · · · · · · · · · ·	
				A		
			, ,			